


8ft Vertical Spindle Veneer Peeling Machine

Spindle veneer peeling machine is one of important equipments for plywood production, it mainly produces about 0.2-2.2mm nature decoration veneer (face veneer) for plywood surface decoration. It is suitable for big diameter wood and diameter can be up to 1500mm. The machine can be customized according to client's requirement.



FEATURES:

1. It is used to rotary cut the big diameter wood and wood diameter can be up to 1500mm.
2. TAIWAN DELTA brand inverter and FRANCH SCHNEIDER electric components, machine runs stably.
3. The whole structure is welded by the Q235B steel and channel steel, and it is durable.

4. Rotary cutting with high accuracy, quick speed, veneer surface smooth.

5. Machine bottom can be installed with small diameter wood log conveying system, can realize automatic thickness adjusting system.

6. Machine peeling spindle can be equipped with SPINDLE SUPPORTING FRAME, can realize 2ft-8ft different processing width adjustment,

max. realize one machine having multi-function, reduce investment cost.

TECHNICAL PARAMETERS:

Structure:	Vertical
Wood length:	2000mm-2600mm
Max. wood diameter:	1500mm
Remaining wood min. diameter:	120mm
Wood loading system:	2 pieces of Rotary crane
Veneer thickness:	0.2-2.6mm
Motor brand:	CHINA HUALI
Main motor power:	Inverter motor 30kw,
Chuck motor power:	4kw*2pcs
Feed motor:	1.5kw*1pcs
Knife adjusting motor:	1.1kw*1pcs
Hydraulic motor power:	0.75kw*1pcs
Loading system motor:	3kw*2pcs
Total power:	47.35kw
Inverter:	TAIWAN DELTA
Voltage and hertz:	380V,50HZ
Gearbox:	CHINA brand
Pressure bar:	electric
Peeling knife:	HSS(high speed-steel)
Machine weight:	about 9500KGS
Machine dimension:	6000*2300*2600mm

联系我们
CONTACT US

Contacter: Aaron Ong

Email: aaron.ong@yihemachinery.com
sdlinyimachinery@gmail.com

WhatsApp/WeChat: +86 150 5393 3179

Web: www.yihemachinery.com

